

Produkt	Art.-Nr.	Artikelbeschreibung	Bemerkung
CIRCUIT WORKS			
CIRCUIT WORKS	CT40-5	Heat Sink Grease Silicone Compound in Tube Dispenser 142g	
CIRCUIT WORKS	CW2000	Nickel Conductive Pen Standard Tip 1,2mm - 9g	
CIRCUIT WORKS	CW2200MTP	Silver Conductive Pen Micro Tip 0,8mm - 8.5g	
	CW2205	Conductive Paint, 5g, w/ 1 pick. 2 brushes & 2 swabs	Non Stock Item, Expect longer leadtime
CIRCUIT WORKS	CW2400	Silver Conductive Epoxy Syringe Kit : 1 Adhesive 7g + 1 Hardener 7g	
	CW2460	Silver Conductive Epoxy Syringe Kit : 1 Adhesive 10g + 1 Hardener 10g	
CIRCUIT WORKS	CW2500	Epoxy Overcoat Syringe Kit Green : 1 Adhesive 4g + 1 Hardener 3.4g	Will be removed from our offering when inventory is depleted
CIRCUIT WORKS	CW2605	Rubber Keypad Repair Kit: 1 Adhesive 3g + Curing Agent 0.3g	
CIRCUIT WORKS	CW2900	Silver Flex Conductive Pen 8.5g	
CIRCUIT WORKS	CW3300B	Overcoat Pen Blue 4.9g	Will be removed from our offering when inventory is depleted
CIRCUIT WORKS	CW3300C	Overcoat Pen Clear 4.9g	Will be removed from our offering when inventory is depleted
CIRCUIT WORKS	CW3300G	Overcoat Pen Green 4.9g	
	CW3300Black	Overcoat Pen Black 4.9g	
	CW3300White	Overcoat Pen White 4.9g	Will be removed from our offering when inventory is depleted
CIRCUIT WORKS	CW3500	Conformal Coating Remover Pen 9g	
CIRCUIT WORKS	CW3700	The Mighty Pen® for Universal Cleaning and Equipment Refurbishment 11g	
CIRCUIT WORKS	CW7100	Silver Conductive Grease - Superior Electrical & Thermal Conductivity, Lubrication & Protection 6.5g	
CIRCUIT WORKS	CW7250	Boron Nitride Silicone Free Ultra High Efficiency Thermal Heat Sink Grease 3.4g	
CIRCUIT WORKS	CW7270	Silicone Free Thermal Heat Sink Grease 7g	
CIRCUIT WORKS	CW8100	No Clean Flux Dispenser Pen 9g	
CIRCUIT WORKS	CW8200	Rosin Flux Dispenser Pen 9g	Will be removed from our offering when inventory is depleted
CIRCUIT WORKS	CW8300	Water Soluble Flux Dispenser Pen 9g	
CIRCUIT WORKS	CW8400	Lead-Free Flux Dispenser Pen 9g	
CIRCUIT WORKS	CW8500	No-Clean Tacky Flux Dispenser Syringe 3.5g	
CIRCUIT WORKS	CW8700	Lead-Free Tacky Flux Dispenser Syringe 3.5g	
CIRCUIT WORKS	CW9100	No Clean Flux Remover Pen 9g	
CIRCUIT WORKS	CW9200	Rosin Flux Remover Pen 8g	Will be removed from our offering when inventory is depleted
CIRCUIT WORKS	CW9400	Lead-Free Flux Remover Pen 9g	
DESOLDERING BRAID - LEAD FREE			
DESOLDERING BRAID	SW14025	Soder-Wick® Lead Free SD VACUPAK™ ESD Safe 1.5mm x 1.5m in resealable Pouch	
DESOLDERING BRAID	SW14035	Soder-Wick® Lead Free SD VACUPAK™ ESD Safe 2.0mm x 1.5m in resealable Pouch	
DESOLDERING BRAID	SW14045	Soder-Wick® Lead Free SD VACUPAK™ ESD Safe 2.8mm x 1.5m in resealable Pouch	
DESOLDERING BRAID	SW40-1-5	Soder-Wick® Lead-Free SD ESD Safe 0.8mm x 1.5m	
DESOLDERING BRAID	SW40-2-5	Soder-Wick® Lead-Free SD ESD Safe 1.5mm x 1.5m	
DESOLDERING BRAID	SW40-3-5	Soder-Wick® Lead-Free SD ESD Safe 2.0mm x 1.5m	
DESOLDERING BRAID	SW40-4-5	Soder-Wick® Lead-Free SD ESD Safe 2.8mm x 1.5m	
DESOLDERING BRAID	SW40-2-10	Soder-Wick® Lead-Free SD ESD Safe 1.5mm x 3.0m	
DESOLDERING BRAID	SW40-3-10	Soder-Wick® Lead-Free SD ESD Safe 2.0mm x 3.0m	
DESOLDERING BRAID	SW40-4-10	Soder-Wick® Lead-Free SD ESD Safe 2.8mm x 3.0m	

DESOLDERING BRAID - NO CLEAN

DESOLDERING BRAID	SW16035	Soder-Wick® No Clean SD VACUPAK™ ESD Safe 2.0mm x 1.5m in resealable Pouch	
DESOLDERING BRAID	SW16045	Soder-Wick® No Clean SD VACUPAK™ ESD Safe 2.8mm x 1.5m in resealable Pouch	Will be removed from our offering when inventory is depleted
DESOLDERING BRAID	SW60-1-5	Soder-Wick® No Clean SD ESD Safe 0.8mm x 1.5m	
DESOLDERING BRAID	SW60-2-5	Soder-Wick® No Clean SD ESD Safe 1.5mm x 1.5m	
DESOLDERING BRAID	SW60-3-5	Soder-Wick® No Clean SD ESD Safe 2.0mm x 1.5m	
DESOLDERING BRAID	SW60-4-5	Soder-Wick® No Clean SD ESD Safe 2.8mm x 1.5m	
DESOLDERING BRAID	SW60-5-5	Soder-Wick® No Clean SD ESD Safe 3.7mm x 1.5m	
DESOLDERING BRAID	SW60-6-5	Soder-Wick® No Clean SD ESD Safe 5.3mm x 1.5m	
DESOLDERING BRAID	SW60-1-10	Soder-Wick® No Clean SD ESD Safe 0.8mm x 3m	
DESOLDERING BRAID	SW60-2-10	Soder-Wick® No Clean SD ESD Safe 1.5mm x 3m	Will be removed from our offering when inventory is depleted
DESOLDERING BRAID	SW60-3-10	Soder-Wick® No Clean SD ESD Safe 2.0mm x 3m	
DESOLDERING BRAID	SW60-4-10	Soder-Wick® No Clean SD ESD Safe 2.8mm x 3m	

DESOLDERING BRAID - ROSIN

DESOLDERING BRAID	SW18015	Soder-Wick® Rosin SD VACUPAK™ ESD Safe 0.8mm x 1.5m in resealable Pouch	
DESOLDERING BRAID	SW18025	Soder-Wick® Rosin SD VACUPAK™ ESD Safe 1.5mm x 1.5m in resealable Pouch	
DESOLDERING BRAID	SW18035	Soder-Wick® Rosin SD VACUPAK™ ESD Safe 2.0mm x 1.5m in resealable Pouch	
DESOLDERING BRAID	SW18045	Soder-Wick® Rosin SD VACUPAK™ ESD Safe 2.8mm x 1.5m in resealable Pouch	
DESOLDERING BRAID	SW18055	Soder-Wick® Rosin SD VACUPAK™ ESD Safe 3.7mm x 1.5m in resealable Pouch	
DESOLDERING BRAID	SW80-1-10	Soder-Wick® Rosin SD 0.8mm x 3m	
DESOLDERING BRAID	SW80-1-5	Soder-Wick® Rosin SD 0.8mm x 1.5m	
DESOLDERING BRAID	SW80-2-10	Soder-Wick® Rosin SD 1.5mm x 3m	
DESOLDERING BRAID	SW80-2-5	Soder-Wick® Rosin SD 1.5mm x 1.5m	
DESOLDERING BRAID	SW80-3-10	Soder-Wick® Rosin SD 2.0mm x 3m	
DESOLDERING BRAID	SW80-3-5	Soder-Wick® Rosin SD 2.0mm x 1.5m	
DESOLDERING BRAID	SW80-4-10	Soder-Wick® Rosin SD 2.8mm x 3m	
DESOLDERING BRAID	SW80-4-5	Soder-Wick® Rosin SD 2.8mm x 1.5m	
DESOLDERING BRAID	SW80-5-10	Soder-Wick® Rosin SD 3.7mm x 3m	Will be removed from our offering when inventory is depleted
DESOLDERING BRAID	SW80-5-5	Soder-Wick® Rosin SD 3.7mm x 1.5m	
DESOLDERING BRAID	SW80-6-5	Soder-Wick® Rosin SD 5.3mm x 1.5m	
DESOLDERING BRAID	SW80-BGA-5	Soder-Wick® BGA Rosin 1.5m	Will be removed from our offering when inventory is depleted
DESOLDERING BRAID	SW50-2-100	Soder-Wick® Rosin 1.5mm x 30.5m on spool	
DESOLDERING BRAID	SW50-3-100	Soder-Wick® Rosin 2.0mm x 30.5m on spool	
DESOLDERING BRAID	SW50-4-100	Soder-Wick® Rosin 2.8mm x 30.5m on spool	Will be removed from our offering when inventory is depleted

SWAB

SWAB	21050	3.7mm Thermobonded Wrapped Foam Swab, Most durable foam head, excellent abrasion resistance, Nylon Handle	
SWAB	36060	5.4mm Thermobonded Sealed Knit Polyester Swab, Polypropylene Handle	
SWAB	36060ESD	5.4mm Thermobonded Sealed Knit Polyester Swab, Polypropylene/Acrylic Alloy Handle (ESD-Safe)	Non Stock Item, Expect longer leadtime
SWAB	38040	3.0mm Thermobonded Sealed Knit Polyester Swab, Polypropylene Handle With Flexible End	
SWAB	38040ESD	3.0mm Thermobonded Sealed Knit Polyester Swab, Polypropylene/Acrylic Alloy Handle With Flexible End (ESD-Safe)	Non Stock Item, Expect longer leadtime
SWAB	41050	3.5mm Thermobonded Sealed Foam Swab, Polypropylene Handle With Rigid Head	
SWAB	41050ESD	3.5mm Thermobonded Sealed Foam Swab, Polypropylene/Acrylic Alloy Handle (ESD-Safe), Rigid Head	
SWAB	44070	3.3mm Thermobonded Sealed Foam Swab (Pointy Tip), Polypropylene Handle, Rigid Head	
SWAB	44070ESD	3.3mm Thermobonded Sealed Foam Swab (Pointy Tip), Polypropylene/Acrylic Alloy Handle (ESD-Safe), Rigid Head	
SWAB	52121	5.9mm Pillow-Tip™ shrink tube bonded Wrapped Knit Polyester Swab, Glass Filled Nylon Handle, Rigid Head	
Swab	CCT2425	75 mm Handle, double pointed head, 3 mm Pointy Tip	
SWAB	CC50	9.6mm Chamois Tips™ Thermobonded Flexible Synthetic Chamois Swab for Magnetic and Optical Cleaning, ABS Handle, Rigid Head	
SWAB	CF1050	20.8mm Foamtips® #110 Thermobonded, Economical Round Shape Foam Swab For High Quantity Use, Polypropylene Handle, Rigid Head	
SWAB	CF2050	12.7mm Foamtips® #120 Thermobonded, Economical Rectangular Shape Foam Swab For High Quantity Use, Polypropylene Handle, Rigid Head	
SWAB	CF3050	6.3mm Foamtips® #130 Thermobonded, Economical Foam Swab For High Quantity Use, Polypropylene Handle, Rigid Head	
SWAB	CF4050	4.8mm Foamtips® #140 Thermobonded, Economical Foam Swab For High Quantity Use, Polypropylene Handle, Rigid Head	

SWAB	CF50	9.6mm Foamtips® #100 Thermobonded, Economical Rectangular Shape Cotton Wrapped in Foam Swab For High Quantity Use, Wood Handle	Will be removed from our offering when inventory is depleted
SWAB	CFP50	7.1mm + 11.1mm Foamtips® Thermobonded, Economical Foam Swab For High Quantity Use, 1 scrubbing side and 1 soft absorbent side, Polypropylene Handle, Rigid Heads	
SWAB	CM502	1.93mm Microtips® Porous Polyvinylidene Flouride Swab, for pinpoint solvent, adhesive and lubricant application or picking in tight areas, Polypropylene Handle, Rigid head	
SWAB	CT100	4.8 mm Cottontips™ Single-Head 100% Pure Pharma Grade Cotton Swab, High strenght and absorbency, Wood Handle	
SWAB	CT200	4.8 mm Cottontips™ Double-Head 100% Pure Pharma Grade Cotton Swab, High strenght and absorbency, Wood Handle	
SWAB	CX50	6.3mm Flextips™ Thermobonded, Open Cell Foam Swab, Economical, For High Quantity Use, Nylon/Polypropylene Handle, Flexible Head	
PRESATURATED WIPE			
PRESATURATED WIPE	CP400	Chempad™ Presaturated Lint-free hydroentangled polyester Wipe 91% IPA 9% deionized water (7.6cm x 10.2cm)	
PRESATURATED WIPE	CP410	Optic Prep™ Presaturated cellulose Wipe 65% IPA 35% deionized water for cleaning optical surfaces (10.2cm x 21 cm)	
PRESATURATED WIPE	CP421	Electro-Wash® MX Presaturated poly/cellulose Wipe (20.3cm x 25.4cm)	
	SIP100K	IPA Presaturated General Purpose poly/cellulose Wipes 70% IPA 30% deionized water 1 kit of 2 rolls and 1 tub	
	SIP100TR	IPA Presaturated General Purpose poly/cellulose Wipes 70% IPA 30% deionized water refill bag of 2 rolls	
DRY WIPE			
DRY WIPE	6209	Coventry™ Poly-Wipes™ - cleanroom laundered wipes - Light-weight 100% knit polyester (high absorbency) (22.9cmx22.9cm)	
DRY WIPE	6704	Coventry™ Econowipes™ Non-Woven 45/55 polyester/cellulose blend (10.2cmx10.2cm)	
DRY WIPE	6709	Coventry™ Econowipes™ Non-Woven 45/55 polyester/cellulose blend (22.9cmx22.9cm)	
	6259BESD2	Coventry Poly Double-Onyx ESD Wipes	Non Stock Item, Expect longer leadtime
DRY WIPE	7348LE	Coventry™ Cleanroom Chamois™ - cleanroom laundered wipes - Laser Edge Sealed - 50/50 polyester/nylon (20.3cmx20.3cm)	Non Stock Item, Expect longer leadtime
DRY WIPE	C900	Twillwipes™ 100% Cotton Highly Absorbent Wipe (22.9cmx22.9cm)	
DUSTER			
DUSTER	ES1624E	Typhoon Blast™ All-Way (all directions) HFO-1234ze Duster High Strength Non-Flammable Very low GWP(Global Warming Potential)<1 200ml	
	ES1824E	Typhoon Blast™ HFO-1234ze Duster High Strength Non-Flammable Very low GWP(Global Warming Potential)<1 400ML	Will be removed from our offering when inventory is depleted
DUSTER	ES1029E	152a Blast™ Very High Strength Flammable Duster 400ml - Ideal alterntive for all HFC-134a based dusters	
FREEZER			
FREEZER	ES1054E	Arctic Blast™ HFO-1234ze Freeze Spray Non-Flammable Pin-point Accuracy Fair to Good Surface Compatibility Very low GWP(Global Warming Potential)=6 200ml	
FLUX REMOVER			
FLUX REMOVER	ES830BE	Flux-Off® Water Soluble Flammable Flux Remover Brush Clean System 200ml with brush	
FLUX REMOVER	ES835BE	Flux-Off® Rosin Flammable Flux Remover Brush Clean System 200ml aerosol with brush	
FLUX REMOVER	ES896BE	Flux Off® Flammable No Clean Plus Flux Remover Brush Clean System 200ml with brush	
FLUX REMOVER	ES897BE	Flux-Off® Flammable Lead Free Brush Clean System 200ml with brush	
CLEANER & DEGREASER			
SOLVENT BASED CLE/	ES1010E	Electro-Wash® PX Flammable Precision Cleaner Fair to Excellent Surface Compatibility 400ml aerosol	
SOLVENT BASED CLE/	ES1605E	Pow-R-Wash® PR Flammable Regular-strength Contact Cleaner Fair to Excellent Surface Compatibility 400ml aerosol	
SOLVENT BASED CLE/	ES1668E	Static Free™ Plast-N-Glas® Non-Flammable Plastic and Glas Cleaner Excellent Surface Compatibility 400ml aerosol	
SOLVENT BASED CLE/	ES6300EA	Pow-R-Wash® VZ(VERIZANE™) Non-Flammable Regular-strength Contact Cleaner Good Surface Compatibility 400ml aerosol (HFC134a)	
SOLVENT BASED CLE/	ES810E	Electro-Wash® PX Flammable Fiber Optics Precision Cleaner 200ml aerosol	
SOLDER MASK			
SOLDER MASK	CLF8E	Chemask® Lead-Free Solder Mask 250ml Squeeze bottle	
SOLDER MASK	CM8E	Chemask® Peelable Solder Mask 250ml Squeeze bottle	
CONFORMAL COATING			
CONFORMAL COATING	CTSR-12E	Konform® SR Silicone Coating Maximum flexibility and extreme temperature resistant 400ml aerosol	Non-Stocked Item. Minimum order of 240 cans
CHEM WICK			

CHEM WICK	CW5-5L	Chem-Wik® Rosin ESD Bobbin Width 1.27mm Length 1.53m	
CHEM WICK	CW7-5L	Chem-Wik® Rosin ESD Bobbin Width 1.91mm Length 1.53m	
CHEM WICK	CW10-5L	Chem-Wik® Rosin ESD Bobbin Width 2.54mm Length 1.53m	
CHEM WICK	CW10-25L	Chem-Wik® Rosin Spool Width 2.54mm Length 7.62m	
CHEM WICK	CW5-100L	Chem-Wik® Rosin Spool Width 1.27mm Length 30.5m	
CHEM WICK	CW7-100L	Chem-Wik® Rosin Spool Width 1.91mm Length 30.5m	
CHEM WICK	CW10-100L	Chem-Wik® Rosin Spool Width 2.54mm Length 30.5m	Non Stock Item, Expect longer leadtime